

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
2. Authorization for the examiner's amendment was given in a telephone interview with Mr. David L. Ciesielski, Reg. No. 57,432 on March 24, 2009.
3. The claims have been amended as follows:
 1. (Currently amended) A computer readable medium having stored therein an object-oriented application program interface including a plurality of object-oriented object classes executable by a processor to allow input and output data to be communicated between applications, the computer readable medium comprising:
 - a first object-oriented object class for accepting input data into a MIDlet within a MIDlet Suite, wherein the first object-oriented class accepts the input data from an application management system on a mobile information device, [[, and]]wherein the input data includes a Uniform Resource Indicator (URI) scheme selected from the group consisting of (i) tel:, and (ii) im:, wherein the MIDlet handles the URI scheme tel: by placing a phone call to an indicated phone number, and wherein the MIDlet handles the URI scheme im: by invoking an instant messaging application; and

a second object-oriented object class for setting output data from the MIDlet within the MIDlet Suite when the MIDlet is terminated on the mobile information device, wherein the output data is available to the application management system on the mobile information device and can be used by another MIDlet within another MIDlet suite and by a non-MIDlet application.

2. (Previously presented) The computer readable medium of claim 1, wherein the first object-oriented object class is a Muglet object class.

3. (Previously presented) The computer readable medium of claim 2, wherein the Muglet object class includes at least one of a `getMediaType()`, `getContentType()`, `getMuglet()`, `getReferringURI()` and `getURI()` object-oriented methods.

4. (Previously presented) The computer readable medium of claim 1, wherein the second object-oriented object class is a System object class.

5. (Previously presented) The computer readable medium of claim 4, wherein the System object class includes a `setExitURI()` object-oriented method.

6. (Cancelled)

7. (Original) The computer readable medium of Claim 1 wherein the output data set by the second object-oriented object class allows execution control to be returned to a previous context being used before the MIDlet was invoked.

8-11. (Cancelled)

12. (Original) The computer readable medium of Claim 1 wherein the mobile information device includes a mobile phone, personal digital assistant, or two-way pager.

13. (Currently amended) At a mobile information device comprising an application management system, a MIDlet, and a non-MIDlet application, a method for making output data of the MIDlet available to the non-MIDlet application, the method comprising:

executing the MIDlet on the mobile information device, wherein the MIDlet has an object-oriented method in an object-oriented object class available for setting output data from the MIDlet;

before the MIDlet is terminated on the mobile information device, using the object-oriented method in the object-oriented class to set the output data from the MIDlet,

passing the output data from the MIDlet to the application management system, wherein the output data from the MIDlet includes (i) an identifier of the MIDlet, and (ii) a Uniform Resource Indicator (URI) scheme selected from the group consisting of tel: and im:; [[and]]

the application management system making the output data passed from the MIDlet available to the non-MIDlet application; and

invoking the non-MIDlet application to handle the URI scheme, wherein handling the URI scheme tel: includes placing a phone call to an indicated phone number, and wherein handling the URI scheme im: includes invoking an instant messaging application.

14. (Cancelled)

15. (Original) The method of Claim 13 wherein the object-oriented method includes a setExitURI() object-oriented method from a System object-oriented class available to MIDlets.

16. (Original) The method of Claim 13 wherein the mobile information device is a mobile phone, a personal digital assistant or a two-way pager.

17. (Currently amended) The method of claim 13, wherein the output data further includes a ~~Uniform Resource Indicator (URI) scheme or an Internet media type.~~

18. (Original) The method Claim 13 wherein the output data allows execution control to be returned to a previous context being used before the MIDlet was invoked.

19. (Currently amended) A method for exchanging input data between applications on a mobile information device, the method comprising:

invoking a MIDlet from an application management system on a mobile information device;

wherein the MIDlet has a plurality of object-oriented methods in an object-oriented object class available for using input data created by another MIDlet or a non-MIDlet application, [[and]]

the MIDlet using one or more object-oriented methods in the object-oriented class to accept from the application management system the input data created by the other MIDlet or the non-MIDlet application, wherein the input data includes a Uniform Resource Indicator (URI) scheme selected from the group consisting of (i) tel:, and (ii) im:, and

the MIDlet handling the URI scheme, wherein the MIDlet handling the URI scheme of tel: includes placing a phone call to an indicated phone number, and wherein the MIDlet handling the URI scheme of im: includes invoking an instant messaging application.

20-21. (Cancelled)

22. (Original) The method of Claim 19 wherein the object-oriented object class includes a Muglet object-oriented class available to MIDlets with at least one of a getMediaType(), getContentType(), getMuglet(), getReferringURI() and getURI() object-oriented methods.

23-24. (Cancelled)

25. (Currently amended) A method for invoking an application as an application handler on a mobile information device, the method comprising:

invoking a MIDlet from an application management system on the mobile information device as a Muglet that acts as a MIDlet handler; wherein the Muglet includes a plurality of object-oriented methods in an object-oriented object class available for using input data created by another MIDlet or a non-MIDlet application, wherein the input data include a Uniform Resource Indicator (URI) scheme selected from the group consisting of (i) tel:, and (ii) im;;

the MIDlet calling an object-oriented method in the object-oriented object class to determine what type of input data will be processed by the MIDlet; and

the MIDlet handling the URI scheme, wherein the MIDlet handling the URI scheme of tel: includes placing a phone call to an indicated phone number, and wherein the MIDlet handling the URI scheme of im: includes invoking an instant messaging application.

~~the MIDlet processing the input data by calling one or more other object-oriented methods in the object-oriented object class.~~

26. (Original) The method of claim 25, further comprising invoking another MIDlet from the MIDlet handler using the processed input data.

27-28. (Cancelled)

29. (Original) The method of Claim 25 wherein the calling step includes calling getMediaType() object-oriented method from a Muglet object-oriented object class available to MIDlets.

30-31. (Cancelled).

32. (Currently amended) A computer readable medium having stored therein an object-oriented application program interface including a plurality of object-oriented object classes executable by a processor to allow input and output data to be communicated between applications on a mobile information device, the computer readable medium comprising:

a Muglet object-oriented object class for accepting input data into a MIDlet within a MIDlet Suite, wherein the Muglet object-oriented object accepts the input data from an application management system on a mobile information device, [[and]]wherein the input data includes a Uniform Resource Indicator (URI) scheme selected from the group consisting of (i) tel:, and (ii) im:, wherein the MIDlet handles the URI scheme tel: by placing a phone call to an indicated phone number, and wherein the MIDlet handles the URI scheme im: by invoking an instant messaging application; and

a System object-oriented object class for setting output data from the MIDlet within the MIDlet Suite when the MIDlet is terminated on the mobile information device, wherein the output data is available to the application management system on the mobile information device and to a non-MIDlet application.

33. (Cancelled)

34. (Previously presented) The method of claim 13, wherein the MIDlet is packaged within a MIDlet suite.

35. (Cancelled)

36. (Previously presented) The computer readable medium of claim 1, wherein the first object-oriented class accepts the input data when the MIDlet is invoked on the mobile information device.

37. (Previously presented) The computer readable medium of claim 1, wherein the input data is generated by a MIDlet in another MIDlet suite or a non-MIDlet application on the mobile information device.

38-40. (Cancelled)

41. (Previously presented) The computer readable medium of claim 32, wherein the Muglet object-oriented class accepts the input data when the MIDlet is invoked on the mobile information device.

42. (Previously presented) The computer readable medium of claim 32, wherein the input data is generated by a MIDlet in another MIDlet suite or a non-MIDlet application on the mobile information device.

43. (Previously presented) The computer readable medium of claim 32, wherein the output data is available to another MIDlet in another MIDlet suite.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Qing-Yuan Wu whose telephone number is (571)272-3776. The examiner can normally be reached on 8:30am-6:00pm Monday-Thursday and alternate Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng Ai An can be reached on (571) 272-3756. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Li B. Zhen/
Primary Examiner, Art Unit 2194

/Qing-Yuan Wu/
Examiner, Art Unit 2194